

CYNTHIA A. HARDING, M.P.H. Interim Director

JEFFREY D. GUNZENHAUSER, M.D., M.P.H. Interim Health Officer

313 North Figueroa Street, Room 708 Los Angeles, California 90012 TEL (213) 240-8156 • FAX (213) 481-2739

www.publichealth.lacounty.gov

November 21, 2014

TO:

Each Supervisor

FROM:

Cynthia A. Harding, M.P.H. CHMUG X HEICH Interim Director

SUBJECT:

ELECTROMAGNETIC RADIATION CAUSED BY HIGH-POWER

TRANSMISSION LINES IN THE SANTA CLARITA AREA

At the October 28, 2014 meeting of the Board of Supervisors, Dr. Gene Dorio provided public comment about health concerns and Electromagnetic Frequency (EMF) radiation associated with power lines. The Department of Public Health (DPH) was instructed to report back to the Board on these issues.

DPH does not perform measurements of EMF radiation from power lines, nor does it research the issue of associated health risks from exposure to EMF. Research on this subject is ongoing at the federal and state levels; however, current scientific data reviewed by the Food and Drug Administration, the World Health Organization, and the American Cancer Society do not suggest a relationship between EMF exposure and human diseases such as cancer (see Attachment for more information).

Regarding field measurements of EMF from power lines, Dr. Dorio noted during his public comments that his own measurements were not scientific. Southern California Edison (SCE) operates the EMF Education Energy Group, which does perform such measurements and can provide educational information on the subject. Inquiries regarding EMF radiation and power lines can be directed to SCE at 6090 N. Irwindale Avenue, Irwindale, CA 91702, 1-(800)-200-4723, EMFRegistrations@sce.com. The SCE EMF Website provides additional information and resources at http://www.SCE.com/EMF.

If you have any questions or would like additional information, please let me know.

CAH:cr PH: 1410:012

Attachment

Chief Executive Officer

County Counsel

Executive Officer, Board of Supervisors



BOARD OF SUPERVISORS

Gloria Molina Mark Ridley-Thomas Second District

Zev Yaroslavsky Third District

Don Knabe Fourth District

Michael D. Antonovich Fifth District

Attachment

ELECTROMAGNETIC RADIATION CAUSED BY HIGH-POWER TRANSMISSION LINES IN THE SANTA CLARITA AREA

According to the American Cancer Society, "No mechanism by which ELF-EMFs could cause cancer has been identified. Some scientists have speculated that ELF-EMFs could cause cancer through other mechanisms, such as by reducing levels of the hormone melatonin. (There is some evidence that melatonin may suppress the development of certain tumors.) However, studies of animals exposed to ELF-EMFs have not provided any indications that ELF-EMF exposure is associated with cancer... Although a study in 1979 pointed to a possible association between living near electric power lines and childhood leukemia (5), more recent studies have had mixed findings. Currently, researchers conclude that there is little evidence that exposure to ELF-EMFs from power lines causes leukemia, brain tumors, or any other cancers in children." [http://www.cancer.gov/cancertopics/factsheet/Risk/magnetic-fields]

References:

World Health Organization, International Agency for Research on Cancer. Non-ionizing radiation, Part 1: Static and extremely low-frequency (ELF) electric and magnetic fields Exit Disclaimer. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans 2002; 80:1-395.

<u>Lagroye</u> I, Percherancier Y, Juutilainen J, De Gannes FP, Veyret B. ELF magnetic fields: Animal studies, mechanisms of action. Progress in Biophysics and Molecular Biology 2011; 107(3):369-373.

Ahlbom IC, Cardis E, Green A, et al. Review of the epidemiologic literature on EMF and Health. Environmental Health Perspectives 2001; 109 Suppl 6:911-933.

Schüz J. Exposure to extremely low-frequency magnetic fields and the risk of childhood cancer: Update of the epidemiological evidence. Progress in Biophysics and Molecular Biology 2011; 107(3):339-342.

Wertheimer N, Leeper E. Electrical wiring configurations and childhood cancer. American Journal of Epidemiology 1979; 109(3):273-284.

Kleinerman RA, Kaune WT, Hatch EE, et al. Are children living near high-voltage power lines at increased risk of acute lymphoblastic leukemia? American Journal of Epidemiology 2000; 151(5):512-515.

Attachment

ELECTROMAGNETIC RADIATION CAUSED BY HIGH-POWER TRANSMISSION LINES IN THE SANTA CLARITA AREA

Kroll ME, Swanson J, Vincent TJ, Draper GJ. Childhood cancer and magnetic fields from high-voltage power lines in England and Wales: A case—control study. British Journal of Cancer 2010; 103(7):1122-1127.

Wünsch-Filho V, Pelissari DM, Barbieri FE, et al. Exposure to magnetic fields and childhood acute lymphocytic leukemia in São Paulo, Brazil. Cancer Epidemiology 2011; 35(6):534-539.

Sermage-Faure C, Demoury C, Rudant J, et al. Childhood leukaemia close to high-voltage power lines--the Geocap study, 2002-2007. British Journal of Cancer 2013; 108(9):1899-1906.

Kabuto M, Nitta H, Yamamoto S, et al. Childhood leukemia and magnetic fields in Japan: A case—control study of childhood leukemia and residential power-frequency magnetic fields in Japan. International Journal of Cancer 2006; 119(3):643-650.

2019 NOV 26 PM 2: 34